

HEXAGON

620 kgs	3/16" AF hex	S1214 bright	\$ 2.90 /KG
216 kgs	5mm AF hex	S12L14 bright	\$ 3.20 /KG
1 tonne	6mm AF hex	S1214 bright	\$ 2.80 /KG
900 kgs	6.35" AF hex	S12L14, 12ft	\$ POA /KG
1 tonne	1/4" AF hex	8740 bright	\$ 2.30 /KG
1 tonne	1/4" AF hex	S12L14 bright	\$ POA /KG
500 kgs	7mm AF hex	C12L14 bright	\$ 2.50 /KG
320 kgs	7mm AF hex	S12L14 bright	\$ 2.50 /KG
1/2 tonne	5/16" AF hex	S12L14 bright	\$ POA /KG
800 kgs	3/8" AF hex	S1214 bright	\$ POA /KG
250 kgs	3/8" AF hex	S12L14 bright	\$ POA /KG
100 kgs	10mm AF hex	S12L14 bright	\$ 2.70 /KG
1,150 kgs	11mm AF hex	S12L14 bright	\$ 2.60 /KG
25 kgs	11mm AF hex	S1214 bright	\$ 2.50 /KG
5 tonne^	11mm AF hex	K1020, 12ft	\$ POA /KG
5.5 tonne^	11.00mm AF hex	S12L14 bright	\$ POA /KG
3,600 kgs	11.11mm AF hex	S12L14 bright	\$ POA /KG
680 kgs	11.2mm AF hex	K1025 black	\$ 2.00 /KG
1,087 kgs	.429" AF hex	K1038 bright	\$ 2.00 /KG
325 kgs	.445" AF hex	Grade 431 stainless steel	\$ 3.30 /KG
2,750 kgs	.445" AF hex	CS1020 black	\$ 2.00 /KG
168 kgs	.445" AF hex	S12L14 bright	\$ 2.65 /KG
150 kgs	12mm AF hex	XS1112 free cutting	\$ 2.50 /KG
2,300 kgs	12mm AF hex	S12L14 bright	\$ 2.60 /KG
100 kgs	12mm AF hex	K1040 bright	\$ 2.60 /KG
200 kgs	1/2" AF hex	K1040 bright	\$ 2.60 /KG
5 tonne	1/2" AF hex	S12L14 bright	\$ POA /KG
25 kgs	13mm AF hex	K1040 bright, 12ft	\$ 2.60 /KG
2 tonne	13mm AF hex	S12L14 bright	\$ POA /KG
1 tonne	.525" AF hex	S12L14 bright	\$ 2.65 /KG
400 kgs	.525" AF hex	S1214	\$ 2.50 /KG
1 tonne^	14mm AF hex	S12L14, 12ft	\$ 2.60 /KG
2,700 kgs	14.29mm AF hex	S12L14	\$ 2.70 /KG
80 kgs	9/16" AF hex	Grade 316 stainless	\$ 4.50 /KG
30 kgs	9/16" AF hex	CS1030 bright	\$ 2.40 /KG
105 bars	9/16" AF hex	K1040 bright	\$ POA /KG
500 kgs	9/16" AF hex	52100	\$ 2.50 /KG
18 bars	9/16" AF hex	Grade C377 brass free cutting, 12ft Co 58.59%, Zn 37.32%, Pb 3% & Sn .35%	\$ 4.00 /KG
4 tonne	9/16" AF hex	S1214 bright	\$ POA /KG
1,800 kgs	9/16" AF hex	S12L14 bright	\$ POA /KG
941 kgs	9/16" AF hex	S12L14 bright	\$ 2.60 /KG
4,160 kgs	15mm AF hex	XK1340 bright	\$ 2.30 /KG
324 kgs	15mm AF hex	S1214 bright	\$ 2.40 /KG
5,200 kgs	15mm AF hex	S12L14 bright some light staining	\$ 2.00 /KG
2 tonne	15.2mm AF hex	S12L14 bright	\$ POA /KG
1/2 tonne	.600 AF hex	CS1030 bright slight rust	\$ 1.80 /KG
458 kgs	.600 AF hex	Grade 3450 C .47%, Ni 3.27%	\$ 2.30 /KG
1,400 kgs	5/8" AF hex	S12L14 bright, 12ft	\$ 2.60 /KG

630 kgs	16mm AF hex	S12L14 bright	\$ 2.60 /KG
180 kgs	16mm AF hex	Rusty	\$ 1.90 /KG
8 tonne	16.75-16.95mm AF hex	Two round corners for wheel nuts for Ford. S12L14	\$ 2.00 /KG
700 kgs	17mm AF hex	S1214 bright	\$ 2.30 /KG
3,400 kgs	17mm AF hex	S12L14 bright	\$ 2.50 /KG
13 tonne	17mm AF hex	S12L14 bright two round corners for wheel nuts for Ford	\$ 2.00 /KG
1,350 kgs	17mm AF hex	K1040 bright	\$ 2.35 /KG
6 bars	17mm AF hex	K1146 bright	\$ 2.50 /KG
3 bars	11/16" AF hex	Unknown	\$ 2.00 /KG
7,940 kgs	11/16" AF hex	S12L14 bright	\$ 2.60 /KG
422 kgs	11/16" AF hex	K1040 bright	\$ 2.35 /KG
600 kgs	18.8mm AF hex	S12L14 bright	\$ 2.55 /KG
1,200 kgs	19mm AF hex	S12L14 bright half round corners for wheel nuts for Ford	\$ 2.00 /KG
1,420 kgs	19mm AF hex	K1020 bright	\$ 2.40 /KG
10 tonne	19.05mm AF hex	S1214 bright, 12ft	\$ POA /KG
23 tonne	3/4" AF hex	S12L14 bright	\$ POA /KG
1 tonne	3/4" AF hex	4140HT bright drawn	\$ POA /KG
7 tonne	20mm AF hex	4140AR black	\$ POA /KG
3,700 kgs	20mm AF hex	4140HT black	\$ POA /KG
3 tonne	13/16" AF hex	S12L14 bright	\$ POA /KG
11 tonne	13/16" AF hex	S12L14 bright	\$ POA /KG
718 kgs	13/16" AF hex	S12L14 bright	\$ 2.35 /KG
3 bars	20.5mm AF hex	S12L14	\$ 2.65 /KG
2,100 kgs	20.64mm AF hex	S1214 bright	\$ POA /KG
550 kgs	.820" AF hex	XS1112 bright rusty, 12ft	\$ 2.00 /KG
1,700 kgs	22mm AF hex	S12L14 bright round corner for wheel nuts for Ford	\$ 2.00 /KG
1,100 kgs	22mm AF hex	S1214 bright	\$ POA /KG
6,600 kgs	7/8" AF hex	S1214 bright	\$ POA /KG
17 tonne	7/8" AF hex	S12L14 bright, 12ft	\$ POA /KG
500 kgs	7/8" AF hex	4140 annealed and drawn	\$ POA /KG
900 kgs	15/16" AF hex	S1214 bright	\$ POA /KG
2 tonne	15/16" AF hex	S12L14 bright	\$ POA /KG
7,900 kgs	15/16" AF hex	S12L14 bright	\$ POA /KG
292 kgs	15/16" AF hex	S12L14 bright	\$ 2.40 /KG
3 bars	.920" AF hex	Bright	\$ 2.00 /KG
525 kgs	.920" AF hex	S12L14 , 12ft	\$ 2.55 /KG
1,500 kgs	24mm AF hex	S1214 bright, 12ft	\$ 2.40 /KG
700 tonne	24mm AF hex	S12L14 bright	\$ 2.50 /KG
14 tonne^	24mm AF hex	S12L14, 12ft	\$ POA /KG
210 kgs	25mm AF hex	S12L14 bright	\$ 2.50 /KG
770 kgs	25mm AF hex	4140 as rolled black	\$ POA /KG
7 1/2 tonne	25.4mm AF hex	S1214 bright, 3120mm	\$ POA /KG
3 bars	1" AF hex	T.O.H. tool steel	\$ 2.75 /KG
4,500 kgs	1" AF hex	4140HT drawn	\$ POA /KG
5 tonne^	26.99mm AF hex	S12L14, 12ft	\$ POA /KG
1,200 kgs	27mm AF hex	S1214, 12ft	\$ POA /KG
1 tonne	27mm AF hex	XS1112 semi-bright	\$ 2.10 /KG
600 kgs	27mm AF hex	4140HT bright drawn	\$ POA /KG
10 tonne^	28.57mm AF hex	S1214, 12ft	\$ POA /KG
15 tonne^	28.57mm AF hex	S12L14 bright, 12ft	\$ POA /KG

15 tonne	1 1/8" AF hex	S12L14 bright, 12ft	\$ POA /KG
1,000 kgs	1 1/8" AF hex	4140HT bright drawn	\$ 3.00 /KG
1,400 kgs	1 1/8" AF hex	K1020 bright	\$ POA /KG
400 kgs	1 1/8" AF hex	K1040 bright, 12ft	\$ 2.60 /KG
800 kgs	1 1/8" AF hex	K1045 bright	\$ POA /KG
500 kgs	1 1/8" AF hex	XS1112 bright	\$ 2.40 /KG
2,540 kgs	30mm AF hex	XK1320 black rusty, 12ft	\$ 1.40 /KG
1,500 kgs	30mm AF hex	S1214, 12ft	\$ POA /KG
6,200 kgs^	30mm AF hex	S12L14 bright, 12ft	\$ 2.50 /KG
110 kgs	30mm AF hex	S12L14 bright	\$ 2.40 /KG
600 kgs	30mm AF hex	4140HT drawn	\$ POA /KG
3 tonne	30mm AF hex	4140AR black	\$ POA /KG
4,500 kgs	30.16mm AF hex	S12L14 leaded	\$ 2.40 /KG
5 off	31.75mm AF hex	S1214 bright, 3330mm	\$ 2.40 /KG
2,700 kgs	1 1/4" AF hex	S12L14 bright	\$ POA /KG
11 tonne	33.5mm AF hex	S12L14 black	\$ POA /KG
1 bar	34mm AF hex	Tool steel	\$ 3.00 /KG
1,300 kgs	1 3/8" AF hex	S12L14 bright	\$ 2.50 /KG
2 1/2 tonne	1 3/8" AF hex	S1214 bright	\$ POA /KG
3,200 kgs	1 3/8" AF hex	K1045 bright	\$ POA /KG
2 tonne	36mm AF hex	4140HT drawn	\$ POA /KG
3 tonne	36mm AF hex	K1045 bright	\$ POA /KG
4 tonne	36.5mm AF hex	S1214 black	\$ POA /KG
8 tonne	37.5mm AF hex	S1214 black	\$ POA /KG
3 tonne	37.5mm AF hex	S12L14 black	\$ POA /KG
1 off	37.5mm AF hex	EN16 bolt steel, 410mm	\$ 2.00 /KG
3 tonne	37.5mm AF hex	4140AR black	\$ POA /KG
1 tonne	37.5mm AF hex	4140HT drawn	\$ POA /KG
5 tonne^	38.1mm AF hex	S1214 bright, 12ft	\$ POA /KG
16 tonne^	38.1mm AF hex	S12L14 bright, 12ft	\$ POA /KG
1,700 kgs	39.5mm AF hex	4140HT drawn	\$ POA /KG
3 tonne	39.5mm AF hex	S1214 black	\$ POA /KG
3 tonne	1 1/2" AF hex	4140HT drawn	\$ POA /KG
4 tonne	39.5mm AF hex	S12L14 black	\$ POA /KG
1,400 kgs	1.670" AF hex	4140HT drawn	\$ POA /KG
500 kgs	1.670" AF hex	S12L14 bright	\$ POA /KG
80 kgs	1 3/4" AF hex	Grade 4427 alloy black	\$ 2.30 /KG
1 tonne	1 3/4" AF hex	S1214 black	\$ POA /KG
11 tonne	44.5mm AF hex	S12L14 black	\$ POA /KG
6 tonne	46mm AF hex	4140HT drawn	\$ POA /KG
269 kgs	47mm AF hex	Grade 4427 alloy black	\$ 2.30 /KG
5 tonne^	47.24mm AF hex	S12L14 bright, 12ft	\$ POA /KG
6 tonne^	47.5mm AF hex	S12L14 black	\$ POA /KG
5 tonne^	47.62mm AF hex	S12L14 bright, 12ft	\$ POA /KG
1,800 kgs	49mm AF hex	S12L14 black	\$ POA /KG
1 tonne	50mm AF hex	S12L14 bright, 12ft	\$ 2.50 /KG
900 kgs	50mm AF hex	S1214 bright drawn	\$ POA /KG
4,300 kgs	50.8mm AF hex	S1214 bright, 12ft	\$ POA /KG
1,300 kgs	50.8mm AF hex	K1045 bright	\$ POA /KG
20 tonne^	50.8mm AF hex	S12L14 bright, 12ft	\$ POA /KG

731 kgs	2" AF hex	S12L14 bright, 12ft	\$ 2.60 /KG
2 tonne	2" AF hex	4140 drawn as rolled	\$ POA /KG
1 tonne	52.07mm AF hex	S12L14, 12ft	\$ 2.60 /KG
5 bars	2 1/8" AF hex	S1214 bright	\$ 2.50 /KG
8 tonne	53.5mm AF hex	4140AR black	\$ POA /KG
30 o/c	55mm AF hex	S1214 bright, 218mm long	\$ 1.90 /KG
1,500 kgs	55mm AF hex	S12L14 bright	\$ POA /KG
13 tonne	55.5mm AF hex	S12L14 black	\$ POA /KG
11 tonne	57mm AF hex	S12L14 black	\$ POA /KG
1 tonne	57.5mm AF hex	4140HT black	\$ POA /KG
4 tonne	2 1/4" AF hex	4140HT drawn	\$ POA /KG
1,100 mm	2 1/4" AF hex	K1040 bright	\$ 2.40 /KG
1 tonne	2 1/4" AF hex	S12L14 bright, 12ft	\$ POA /KG
1,200 kgs	60.325mm AF hex	S12L14 bright, 12ft	\$ POA /KG
10 tonne^	61.21mm AF hex	S1214 bright, 12ft	\$ POA /KG
5 tonne^	61.21mm AF hex	S12L14 bright, 12ft	\$ POA /KG
3 tonne^	63mm AF hex	4140HT black	\$ POA /KG
12 tonne^	63.5mm AF hex	S12L14 bright, 12ft	\$ POA /KG
1/2 tonne^	63.5mm AF hex	S1214 bright	\$ POA /KG
4,200 kgs	65mm AF hex	4140HT bright drawn	\$ POA /KG
10 tonne^	66.67mm AF hex	S12L14 bright	\$ POA /KG
1 tonne	70mm AF hex	S1214 bright, 12ft	\$ POA /KG
1 tonne	70mm AF hex	S12L14 bright, 12ft	\$ POA /KG
16 tonne	73.02mm AF hex	S12L14 bright	\$ POA /KG
1 tonne	3" AF hex	S1214 bright drawn	\$ POA /KG
1 tonne	82.55mm AF hex	C1018, 12ft	\$ POA /KG
1 tonne	82.55mm AF hex	S12L14, 12ft	\$ POA /KG
5 bars	85mm AF hex	S12L14 bright	\$ 2.80 /KG
3 bars	3 1/2" AF hex	Ex bright	\$ 2.80 /KG
1 o/c	3 3/4" AF hex	S12L14 bright, 2.5met approx	\$ 3.00 /KG